


NATURE RAMBLINGS

By Frank Thone



Indigo Bunting

IF you are walking along the edge of the woods or across a brushy pasture and see a flash of blue winging through the air, look twice before you decide that it is a bluebird. It may be that somewhat less abundant but equally beautiful bird, the indigo bunting.

There is no danger of confusing the two birds, if you can get a fair look at him. The indigo bunting has no red underneath, as the bluebird has, but is blue on both breast and back. The only feathers he has that are not blue are the large dark ones of his wings and tail, and even these are blue-edged. This is his summer garb; in winter he has a general sparrow-like appearance. His mate keeps her sleek but inconspicuous brown dress the year round.

The song of the indigo bunting is a beautiful sustained trill, not unlike that of a canary. He is very fond of singing, too, and will frequently stage a recital in midsummer, long after most other birds have become silent.

Indigo buntings are not as well known, perhaps, as bluebirds, because they are rather more shy of human-kind, and prefer to live in the tangled thickets and broken woodlands, remote from habitations. But for the nature-lover they are worth patient seeking, for they have few peers and no superiors in beauty among our native birds. There is a jewel-like brightness about their deep blue feathers that surpasses the blue of the bluebird. It is more like the flash of the scarlet tanager than it is like any other blue to be found on birds with which we are familiar.

Science News-Letter, May 24, 1930

Mice Detect Monoxide

Queer little Japanese waltzing mice have been put to good use by scientists who have found the mice even better than canary birds for detecting deadly carbon monoxide gas in the air, the U. S. Bureau of Mines has just reported.

Carbon monoxide is a highly fatal gas that has neither color nor odor, so that it can creep on a man unaware and overcome him almost before he knows what has happened to him. Small animals are affected more quickly than man by the same concentration of this death gas. Therefore they have been used to detect the presence of the gas in the atmosphere of mines and other places where it is a menace.

The difference between the time when the animal is overcome and that when man will be overcome is sufficient to allow a man to return to fresh air, put on a mask, or protect himself in some other way. However, the margin of time between effects in the animals and in men is not very wide and experience with canaries has shown that an occasional specimen may be tolerant enough to fail to exhibit symptoms before serious effects are incurred in men.

Because the effects of carbon monoxide poisoning are increased by physical activity, the waltzing mice, with their almost continuous and violent movements, show the effects of exposure to the gas much more quickly than any other animals and are therefore especially suitable for detecting the presence of the gas.

Science News-Letter, May 24, 1930

Staff of Science Service—Acting Director, Vernon Kellogg; Managing Editor, Watson Davis; Staff Writers, Frank Thone, James Stokley, Emily C. Davis, Jane Stafford, Marjorie Van de Water, J. W. Young; Librarian, Minna Gill; Sales and Advertising Manager, Hallie Jenkins.

Board of Trustees of Science Service—*Honorary President*, William E. Ritter, University of California. Representing the American Association for the Advancement of Science, J. McKeen Cattell, *President*, Editor, Science, Garrison, N. Y.; Burton E. Livingston, The Johns Hopkins University, Baltimore, Md.; Raymond Pearl, Director, Institute for Biological Research, The Johns Hopkins University, Baltimore, Md. Representing the National Academy of Sciences, John C. Merriam, *President*, Carnegie Institute of Washington; R. A. Millikan, Director, Norman Bridge, Laboratory of Physics, California Institute of Technology, Pasadena, California; David White, Senior Geologist, U. S. Geological Survey. Representing National Research Council, Vernon Kellogg, *Vice-President and Chairman of Executive Committee*, Permanent Secretary, National Research Council, Washington, D. C.; C. G. Abbot, Secretary, Smithsonian Institution, Washington, D. C.; Harrison E. Howe, Editor of Industrial and Engineering Chemistry. Representing Journalistic Profession, John H. Finley, Associate Editor, New York Times; Mark Sullivan, Writer, Washington, D. C.; Marlen E. Pew, Editor of Editor and Publisher, New York City. Representing E. W. Scripps Estate, Harry L. Smith, *Treasurer*, Cincinnati, Ohio; Robert P. Scripps, Scripps-Howard Newspapers, West Chester, Ohio; Thomas L. Sidlo, Cleveland, Ohio.

Prandtl Honored




YEARS ago Dr. Ludwig Prandtl, professor at the University of Göttingen, Germany, studied how air rushes around moving planes. His work was so far ahead of his time and so accurate that it forms the basis of much present aerodynamic theory. Now Dr. Prandtl is awarded the second Guggenheim gold medal for notable achievement in aeronautics. Orville Wright, who with his brother made the first successful flight, was presented the first medal last month.

Aviation

Science News-Letter, May 24, 1930

BUNSEN BURNERS



With gas and air adjustments

Range of flame
1/2" to 12"

Non-corrosive
Easily cleaned

Economical

SAVES TIME

SAVES GAS

SAVES
GLASSWARE

SIMPLE

No. 4750

No. 4750 BUNSEN BURNER
With Needle Valve Gas Control

Each\$.65
Per dozen 7.20
Per hundred 50.00

No. 4750B BUNSEN BURNER
Same as No. 4750 But Without Gas Control

Each\$.35
Per dozen 3.75
Per hundred 27.50

W. M. Welch Scientific Company
1516 Orleans St. Chicago, Ill.