

periments conducted in England during the hot summer weather demonstrated the remarkable efficiency of this method of increasing the comfort of those housed under canvas. This method has also been used for the insulation of food stores, with efficiency and economy, and aboard ships for the insulation of corridors and

apartments in the vicinity of funnels.

In fact, it appears that reinforced aluminum foil can be used for insulation against heat or cold in a wide variety of ways, and this material has the advantages of being durable, cheap, easy to apply, and light in weight.

Science News Letter, September 7, 1935

CHEMISTRY

Chemist Sees Eventual Profit In Gold From Sea Water

A "MILESTONE" in the path leading to the commercial extraction of gold from sea water was the opinion of Thomas Midgley, Jr., chemist and vice-president of the Ethyl Gasoline Corporation, regarding the report of the new gold extraction process announced by Dr. William E. Caldwell of Oregon State College at the recent meeting of the American Chemical Society. Mr. Midgley said:

"Despite Dr. Caldwell's modesty in depreciating the advance that he has made in extracting gold from sea water, it is my opinion that this is one of the milestones on the path to progress that eventually will lead to the commercial

extraction of gold from sea water.

"Less than two years have passed since I made the statement at the American Chemical Society meeting in St. Petersburg, Fla., when the announcement was made that bromine was being commercially extracted from the sea for use in ethyl gasoline, that 'it is no more impossible to extract gold from sea water now than it was to extract bromine from sea water ten years ago.' The work of Dr. Caldwell and the recently announced proposal of Dr. Colin G. Fink of Columbia University to extract gold by electroplating it upon the propellers of ships carry science forward to its goal."

Science News Letter, September 7, 1935

CHEMISTRY

Government Chemist Less Optimistic on Ocean Gold

By DR. EDWARD WICHERS

Chemist, National Bureau of Standards

RECENT articles in scientific journals and in the public press indicate that speculation about the economic recovery of gold from the sea is again to the fore. The published reports, however, make one suspect that important evidence on the actual content of gold in ocean water is being overlooked or ignored. Of the numerous scientific investigations on this subject, the most thorough and comprehensive work is undoubtedly that of the late Prof. Fritz Haber and his associates, published in Germany in 1925 and 1927.

Before this work was done, the weight of the evidence seemed to indicate that ocean water contained 5 to 10 milligrams of gold per ton (5 to 10 parts per billion). Although it would be necessary, on this basis, to treat 1 to 2 tons of water

to get 1 cent's worth of gold (at \$35 per ounce), a process was developed by Haber which was thought to be capable of profitable operation. In fact, the work was undertaken with the hope that the inexhaustible supply of gold in the sea and in the Rhine might be used to rescue Germany from its post-war economic collapse.

Much to the surprise of Haber and his associates, their results showed that the average content of gold in the Atlantic Ocean is only 0.008 milligram per ton (about one-thousandth as much as previously supposed), that water from a certain part of San Francisco Bay contains about twice that amount, water from polar regions perhaps 5 or 6 times as much, and that an occasional sample of glacial ice, carrying detritus scoured from rocks, may contain a few milligrams of gold per ton.

[Editor's note: Recent technical articles and statements in the press by L. C. Stewart, W. H. Dow and Prof. C. G. Fink state that gold occurs in sea water of the Atlantic Ocean in concentrations of 2.3 parts per billion.]

The difference between current estimates of 2.3 parts per billion and the value found by Haber, which amounts to a ratio of 300 to 1, largely determines whether the economic recovery of gold from the seas is almost within reach or must remain a will-o'-the-wisp. Of course, no one can be dead sure that Haber's estimate is the correct one. On the other hand, there is no published work on this subject which can begin to compare with that of Haber and his associates (at least ten in number). Carried on, as it was, over a period of years, involving the assay of over 5000 samples, with the most minute attention to every conceivable source of error, stimulated by the glamorous hope that Germany might be financially redeemed, and directed by a thoroughly dependable scientific mind, this work may well be regarded as a classic of chemical research.

It would be well for all who concern themselves with this subject to refrain from further public speculation about it unless they are able either to successfully refute Haber's conclusions, or to show that the economic recovery of gold from water containing 1 part in 50-100 billions is even within the shadow of reason.

Since much of the recent speculation on the subject has been related to the Dow Company's bromine plant, a few calculations based on Haber's estimate of

● RADIO

Tuesday, Sept. 10, 3:30 p. m., E.S.T.

AMERICA'S EARLIEST MAN, by Charles Amsden, Secretary, Southwest Museum.

Tuesday, Sept. 17, 3:30 p. m., E.S.T.

SCIENCE IN TRANSPORTATION, by Dr. C. F. Hirshfeld, chief of research, Detroit Edison Company.

In the Science Service series of radio addresses given by eminent scientists over the Columbia Broadcasting System.

HIGHLIGHTS of MODERN KNOWLEDGE

Wheat without the Chaff of detail

Biological and Physical Sciences

For further information write

THE UNIVERSITY SOCIETY, INC.
470 Fourth Ave., New York, N. Y.