

may have become clogged with fine particles washed in by the pounding drops. A good cover of plants, which also encourages burrowing worms and other small animal life forms, preserves and improves the soil's porosity. Temperature is important, in that it affects the viscosity of the water, and also changes the dimensions of the crevices. Below freezing point, temperature may either increase infiltration, if the soil is dry, or decrease it, if the soil is saturated and freezes in that condition.

Science News Letter, July 12, 1941

"Invisible River"

AN invisible river, flowing straight uphill, returns to the air a large proportion of all rain and snow that falls. Its name is Evaporation.

At the Hydrology Conference, Dr. C. W. Thornthwaite, of the U. S. Soil Conservation Service, outlined the magnitude of this skyward drainage, and told of progress in its measurement. Of one year's measured precipitation at the U. S. Department of Agriculture experimental farm at Arlington, Va., nearly half was returned to the air by evaporation from the soil surface and transpiration through the leaves of plants.

The practical importance of this way of getting rid of surplus water was suggested by the speaker:

"In central and eastern United States nearly all major flood-producing storms are terminated by invasion of relatively dry air masses of polar continental origin characterized by a thick turbulent layer and low concentrations of water vapor. These air masses provide conditions most favorable to evaporation and are able to absorb enormous quantities of moisture from the rain-drenched land.

"Since floods on large watersheds are most frequently due to general storms which must first restore to the soil reservoir water which had previously been lost by evaporation and transpiration it is evident that land use practices favoring evaporation will accordingly lessen the burden imposed on stream channels by excessive rains, both by retarding immediate run-off and by creating a water-storage capacity in the soil."

Transpiration through plants carries off much more water than direct evaporation from the soil, Dr. Thornthwaite stated. For this reason, it is desirable to encourage maximum coverage with plants of high transpiration rate, in regions subject to floods. On the other

hand, in regions where drought is the main danger, it is best to promote vegetation with low transpiration rates, so as to leave as much moisture in the soil as possible.

Until recently, direct measurement of evaporation from land surfaces was so

difficult that most scientists considered it impossible. Now, Dr. Thornthwaite said, intricate mathematical formulae have been worked out that can give an expression to this mode of water disappearance.

Science News Letter, July 12, 1941

PSYCHOLOGY

Girls' Experience Shows Hitch-Hiking Reasonably Safe

Runaways Ranging in Age From 6 Years to 105 Years Tell Their Stories to Travelers Aid Society

WHEN CHILDREN run away from home, they do so chiefly because they feel unwanted or unable to measure up to their own or their parents' standards, Dr. Lawson G. Lowrey, of New York City has found.

The major cause of children's running away from home as found by the psychiatrist differs from causes listed by police department reports and the "most intriguing" stories told by the children to Travelers Aid Society workers.

Girls made up 44% of the group studied. According to their experience, "hitch-hiking seems to be reasonably safe," Dr. Lowrey stated. Favorite story told by the girls when asking the Travelers Aid Society for help in finding an inexpensive room runs as follows:

"Their parents had recently died; they have no family of any sort; they have come to New York to embark on a glamorous career in the theatre, movies, or dancing."

"The boys are clumsier with their stories but usually more convincing," Dr. Lowrey said.

The runaways studied ranged in age from 6 years to 105 years. For the most part they were running away from something unpleasant, to a situation "which they hope will be a better one in a variety of ways." Most of the runaways did not have psychiatric abnormalities.

"Nomads present a somewhat different picture," he said. "Many of these are competent workers, who have little difficulty in securing a job, but do have difficulty in holding one. Many of them present paranoid types of personality, such that they are under some compulsion to reorganize any job they have. They commonly give histories of having been on the road for a number of years,

unable to remain long in one place because of their paranoid tendencies.

"One man, 105 years of age, had come on to New York from California to get financial backing for a mine. He had been a prospector for many years, he claimed, but was also interested in promoting a cancer cure and a tuberculosis cure. His small pension was enough for him to live on, but he had wandered away some four or five times during the past six years, always in pursuit of some type of business adventure. There was no evidence of senile deterioration."

Science News Letter, July 12, 1941

MEDICINE

Hayfever Cause Extracted From Ragweed Pollen

EXTRACTION from ragweed pollen of a colorless, nitrogen-containing chemical believed to be one of the major causes of hayfever was announced by Prof. Harold A. Abramson and Dr. D. H. Moore of the Columbia University School of Medicine and Dr. H. H. Gettner of Mount Sinai Hospital, New York City, at the Wilder D. Bancroft Colloid Symposium held at Cornell University under the auspices of the National Research Council and the American Chemical Society.

The molecular weight of the chemical was found to be "surprisingly low—only 5,000," Prof. Abramson reported.

This small size is significant, it appears, from his explanation that in order to produce hayfever, pollen must not only be blown into the nose and eyes but the molecules causing the symptoms must pass through the mucous membranes into the deeper tissues beneath.

"Our study indicates that the ease