

when they were worked. Faked archaeological "finds" would be easy to detect by this method.

In recent years, the radiocarbon dating method has virtually revolutionized archaeological dating for objects of wood, charcoal, shells, grain and bone up to about 40,000 years old.

As a result of cosmic radiation, radioactive carbon with the atomic weight of 14, instead of 12, that of ordinary carbon, is present in carbon dioxide in the atmosphere. As plants use the carbon dioxide, they absorb the carbon-14. In turn, all animal life, feeding on plant life directly or indirectly, absorbs some of the carbon-14.

When plants and animals die, they stop absorbing carbon-14 and it disintegrates as all radioactive materials do. Eventually it breaks down, and the rate of its breakdown is measured in terms of its half-life. The half-life of carbon-14 is the amount of time it takes for the radiocarbon to be reduced to half the amount that was originally present. As this has been measured to be about 5,568 years, it will take that many years to bring the amount down to one half the original amount and so on. The beauty of this method is that it can be checked on materials of known age and therefore verified. It has been found to work with a fairly small margin of error, although the problems of the method have not been ironed out yet. In some cases, scientists have found different results for samples from the same site.

Chemist and Geologist Help

By finding new ways of dating old objects, the archaeologist with the help of the chemist and the geologist, is able to give nearly accurate historic dates to archaic materials belonging to prehistoric times.

Wooden objects have been dated on the basis of the annual growth rings, whose thickness depends on the amount of moisture the tree absorbs. Sections of trees were fitted together so as to make a "tree-ring calendar." This dating scale has been used mainly to measure wooden beams of ancient constructions as far back as 3,000 years.

Bands in clay deposits from the annual melt-water from the retreating glaciers of the ice ages have also been used as a dating method. In northern Europe this technique has been used to measure back about 12,000 years.

A similar method based on the geological layers of the earth's crust is called stratigraphy. Each layer, or stratum, is known to have a certain time span, and archaeological finds can be dated according to the material in which they are embedded.

Related to this method is dating artifacts by the volcanic ash layers in which they are found.

Trade materials also give clues to the archaeologist. If certain vases of Greek manufacture, known to have been made in a certain century, show up in a buried village on the Baltic, it is probable that the village was occupied about the time of manufacture.

Animal remains found on sites where human remains are found can also give a

clue to the date. When remains of horses and mammoths were found together with human remains in Mexico and Arizona, this was evidence that the human remains were at least 8,000 years old because it had already been determined that the animals were extinct in these areas 8,000 years ago.

When the archaeologist wants to determine which bones from a site are the oldest, or if animal and human remains found together are of the same age, he can use the fluorine test. Fluorine from ground water forms fluorapatite in the bones so the oldest bones at any one find would contain the largest amount of fluorapatite.

Even the natural vegetation of an area has been used to tell time. Pollen grains found in utensils where graves or village sites are uncovered give a clue to their place in time. It has been fairly well determined when certain trees and plants could possibly have grown in an area as the four ice ages passed over the earth during the last million years or so. This at least is valid for the Northern Hemisphere.

Science News Letter, May 7, 1960

GEOPHYSICS

Undefined High Altitude Energy Source at Pole

A HITHERTO undefined energy source over the North Pole at high altitudes has been found by Dr. W. W. Kellogg of the Rand Corporation. This newly discovered source of heat is a release of chemical energy stored in atomic oxygen. Despite the darkness of the Arctic winter, at a 60-mile altitude over the North Pole the temperature is 40 to 60 degrees Fahrenheit hotter than during the period of the summer sun. In fact, it is believed to be hotter over the North Pole than over any other portion of the globe at a similar altitude. The cold air over the North Pole at lower levels sucks the upper atmosphere downward, causing some warming by adiabatic compression. But the recombining of atomic oxygen as it moves to a lower altitude creates about ten times the amount of heat as that created by the adiabatic warming.

Science News Letter, May 7, 1960

FORESTRY

Trees on Mine Wastes Reclaim Piled-Up Earth


ONE OF the best ways to reclaim the waste earth piled up from mining excavations is by planting trees on it, the U.S. Department of Agriculture reported. A handbook entitled "Forestation on Strip-Mined Land in the Central States" tells how 20 species of trees can be planted successfully on such land. These include green and white ash, cottonwood, black locust, sweetgum, sycamore, black walnut, yellow poplar and several varieties of maple, oak and pine. The booklet, available for 36 cents each through the Superintendent of Documents, U.S. Government Printing Office, Washington 25, D.C., tells which trees will grow best on different types of spoil banks.

Science News Letter, May 7, 1960

Used and Approved by Leading Universities!

Now you can enjoy the same superior performance at the low DYNASCOPE price!

4-Inch Dynascope



Only \$59.95

F.O.B. Hartford
Shipping Wt. 16 lbs.
Express charges collect
Same model with new Dyn-O-Matic Electric Drive only \$79.95
F.O.B. Hartford

Comes complete with sturdy steel tripod that sets up instantly on uneven terrain. Folds up for carrying.

America's most popular 4-inch reflector! Includes such professional features: 4-inch parabolic pyrex mirror, aluminized and quartz coated • Quick-action equatorial and altazimuth mount with fingertip control • Setting circle • 4-power crosshair finderscope • Rack & Pinion focusing • 3 compound eyepieces (65X, 130X, 167X). • Lifetime 45" bakelite tube.

Model RV-6

6-Inch Dynascope



ONLY \$194.95

F.O.B. Hartford
Shipping Wt. 50 lbs. Express charges collect

New Dyn-O-Matic Electric Drive assures effortless, automatic tracking. Use any A.C. household socket.

Finest American-made 6-inch reflector in its price range! Save \$100 or more, yet get all these fine features: f/8 6-inch mirror accurate to 1/8 wave • electric drive • 3 matched eyepieces (75X, 150X, 343X) • 6x30 Achromatic finderscope • Heavy-duty mount with setting circles • Rack & Pinion eyepiece holder • Rotating tube • Sturdy lightweight tripod.

FREE FACTS

on new 6", 8", 10", 12", 16" Custom DYNASCOPES
Mail coupon today!

Criterion Manufacturing Company

Dept. NL-59, 331 Church St., Hartford 1, Conn.

Under your money-back guarantee, please ship me promptly the DYNASCOPE checked below. My payment in full enclosed.

4-inch \$59.95 6-inch \$194.95
 4-inch with Electric Drive \$79.95

Send FREE LITERATURE on Custom DYNASCOPES and details of your Easy Payment Plan.

Name _____
Address _____
City _____ State _____