



NASA

Mitchell and Shepard with the largest rock returned from Fra Mauro region.

could mean that the rocks were split a thousand or a million years ago: their surfaces would still be considered young. The investigators hope to determine when and how the rock was split.

Another Apollo 14 feature is the abundance of friable or crumbly rocks. Scientists are not yet ready to explain why these were not found in such abundance in the maria. But the astronauts reported while on the surface seeing many boulders which appeared weathered and fragile on the outside, but which were hard inside.

The rocks include some very hard ones ranging in size from a walnut to a basketball. The largest weighs about 20 pounds and measures about  $10 \times 10 \times 11$  inches. Two smaller football-sized rocks weigh from 7 to 12 pounds each and two grapefruit-sized rocks, from 3 to 5 pounds each.

They differ from Apollo 11 and 12 rocks not only in size but in type and composition. The Apollo 11 returns were divided equally between breccia—fragmented rocks, usually coarse grain, formed by crushing or some sedimentary process—and basaltic rocks—finer grained, crystalline or igneous rocks. The Apollo 12 returns were higher in crystalline content.

The Apollo 14 rocks, on the other hand, are much more fragmented. Another unusual feature, according to Dr. Dale Jackson of the U.S. Geological Survey and Dr. Everett Gibson of MSC is the fine grain of the material—“almost like silt stones.” This is unlike anything seen before from the moon. There are some brecciated rocks but they look different from the Apollo 11 and 12 breccias. Only one rock appears as a crystalline basalt. “It is the only unambiguous igneous rock” in the batch, says Dr. Gast. This means that little, if anything, has happened to the rock (such as shock metamorphism) since its crystallization. Its contents are simi-

lar to the Apollo 11 and 12 basalts with one exception—it has two types of pyroxene instead of only one. This is an indication that it could be related to KREEP, if, in addition, it turns out to have a high content of potassium, uranium and thorium.

This week's debriefings refined one further fact about the crew's climb up Cone Crater. The men came within 50 feet of the rim. □

#### CERN ACCELERATOR

### 300-GeV machine approved

The council of CERN, the European Organization for Nuclear Research, approved construction Feb. 19 of CERN II, a proton accelerator of 300 billion electron-volts energy. The project, which has been subject to several years delay involving changing plans and dithering by several countries over the question of participation (SN: 12/12/70, p. 445), will go forward with 10 countries contributing: Austria, Belgium, France, West Germany, Italy, the Netherlands, Norway, Sweden, Switzerland and the United Kingdom. The new accelerator will be built on a site across the road from the present CERN laboratory in Geneva. Like the present laboratory, it will straddle the border between France and Switzerland.

The new proton-synchrotron will be at least 10 times larger than the existing CERN 20-30 GeV accelerator, which has been operating now for nearly 12 years. The program of construction is to begin sometime this summer and last about eight years, with research planned to begin during the sixth year, in 1976.

Dr. John B. Adams, a physicist long associated with CERN and with the Culham Laboratory in Great Britain, is the Director-General of CERN II. □

#### ALASKA PIPELINE

### Search for alternatives

The proposed pipeline from Alaska's North Slope to the port of Valdez has looked like a sure thing for a long time despite conservationist opposition (SN: 1/23/71, p. 64). No one really believed conservationists could successfully buck the economic power of the oil companies and an entrenched public belief in progress as measured by the pace of new technological development.

So hearings held last week on the pipeline by the Interior Department were viewed by many as merely a sop to the conservationists. One Interior official had gone so far as to say the hearings could not produce new information substantial enough to require any major revisions in Interior's pro-pipeline draft report on the massive project.

But rumblings of official unhappiness with the pipeline began just before the hearings when Russell Train, chairman of the Council on Environmental Quality, told a television audience that CEQ was less than satisfied that the pipeline was the best alternative. That Train's view reflected other high views in the Administration became clear after the hearings when Interior Secretary Rogers C. B. Morton said he was impressed by conservationist arguments; he was, he said, a long way from deciding the pipeline was the best way to meet the energy requirements of the nation.

Morton's statement, made at a Senate appropriations committee hearing, strongly emphasized a point conservationists have been making for a long time: That the nation lacks any sort of coherent energy policy which could demonstrate that the Alaska oil is really badly enough needed to justify the risk to the environment in building the pipeline.

Train's comments indicated that he does not necessarily oppose development of the Alaska oil. Rather, he suggested that there may be alternatives to the Alaska pipeline. One, he said, would be an all-land route for the oil via a pipeline through Canada.

Canadian officials, who say they fear the damage spilled oil from tankers might do to their Pacific Coast, have lately been suggesting such an alternative. And two Alaska state legislators, concerned about the effects spilled oil could have on Alaskan fisheries, introduced a resolution for study of the Canadian alternative.

Conservationists at the hearings strongly stressed the need for more studies and for a review period after Interior incorporates information from the hearings in its draft report. Morton's statement is a strong indication they

will get their delay. Because of the short Arctic construction season, even the 90-day review period they requested will delay the beginning of construction for another year. Conservationists believe that with enough time, the facts of the environmental hazards of the pipeline will penetrate deeply enough into officialdom to defeat the project. It is beginning to look as though there is a chance they could turn out to be right. □

#### MASS TRANSIT

### Air cushion to Dulles

One of the most glaring failures in the nation's transportation system often faces the traveler after a 500-mile-an-hour flight on a jet plane: A snail's pace ride into the destination city via taxi or bus on crowded highways or freeways. Travelers talk of the 29-mile ride into the city from Washington's beautiful and efficient Dulles Airport, nestled in the Virginia countryside, as often taking nearly as long as the flight from, say, Minneapolis.

Transportation Secretary John A. Volpe says a partial remedy is in store for Dulles travelers, one he hopes will serve as a model for other cities where downtown and airport are widely separated. To be constructed from Dulles to McLean, Va., are 13.5 miles of track for tracked air-cushion vehicles (TACV), which will run on linear induction motors and be engineered for speeds up to 150 miles an hour (SN: 12/19/70, p. 464). Volpe hopes the vehicles can be running by the time of an International Transportation Exposition to be held at Dulles in the late spring of 1972.

The project is mainly for technological demonstration purposes, and, in terms of actual service to travelers, it will fall short in several ways. From McLean to downtown Washington is an additional seven miles, even as the crow flies, and travelers may find a single vehicle trip via bus or car more convenient than changing at McLean, to board the air-cushion vehicle. But Transportation Department officials say the new Washington Metro system will provide subway connections to McLean by 1976. It is conceivable, they add, that the TACV system could eventually be extended into Washington.

The main reason for selecting Dulles, they say, is because the existing McLean-Dulles highway is owned by the Department, and the TACV system can be built on the highway median strip with minimal right-of-way problems.

The TACV proposal came in a Volpe speech on Washington's perplexing transportation problems. Other proposals included restrictions on automobiles in parts of the city. □

#### PARTICLE THEORY

### Twelve subnucleons

When physicists first discovered that atomic nuclei could be subdivided, they speculated that nuclei consisted of protons and electrons held together by the electric force between those oppositely charged particles. The discovery of the neutron put an end to this model. It was seen that whatever bound the nucleus together operated equally on the charged proton and the uncharged neutron and that its intrinsic strength was much greater than the intrinsic strength of any known electromagnetic force.

The nuclear binding was therefore considered a force of a different kind and entered physics under the name strong interaction.

Later the so-called weak interaction entered the picture. This force characteristically presides over radioactive processes that change a particle of one identity into a particle of another identity. Nuclear beta decay, in which a neutron inside a nucleus changes itself into a proton is the classic example. Processes governed by the weak interaction are characteristically slower and weaker than those of the strong interaction, and therefore the weak force has to be considered separately.

**This plethora of forces**—there is also some evidence that the weak force can be subdivided; in different processes it appears with different intrinsic strengths—is a bother to physicists, who have a strong desire to find simplicity and unity in nature. To satisfy this desire a professor of physics at the University of Auckland in New Zealand, Dr. P. C. M. Yock, presents for his colleagues' consideration a theory that refers all the forces ultimately back to the electromagnetic interaction.

Dr. Yock calls his theory "a unified theory of strong and electromagnetic forces." He has been developing it over the last few years, and in the December 1970 *ANNALS OF PHYSICS* he presents a summary that expresses the physical implications of his mathematics.

Like many other current theories of particle physics, Dr. Yock's begins with the assumption that the particles usually called elementary are not elementary at all. Dr. Yock postulates that all known particles are composed of six subnucleons, as he calls them, and six antineutrons. The most current rival theory postulates only half as many basic entities: three quarks and three antiquarks. Dr. Yock's subnucleons are electrically charged bodies as are the quarks, but subnucleons have charges that are large multiples of the basic particle charge, that of the electron. Quark charges are fractions of the

electron charge. The subnucleons have charges approximately 10, 20, 30, 40, 41 and 11 times the electron charge. Proper combinations of the pluses and minuses can give the smaller charges of the observed particles.

Dr. Yock can explain all the observed particles as combinations of several of the 12 basic entities. His theory, he says, is consistent with all the known laws of physics and yields the proper rules for the conservation of mass, electric charge and other more exotic qualities of particles that appear experimentally to be conserved.

He believes that the subnucleons are bound together to form the observed particles by a very strong electromagnetic force caused by their very large charges. He regards the strong interaction as a weaker version of the same thing, and the ordinary electromagnetic forces as a weaker version still. He makes an analogy to the difference between atomic bonds, those that hold electrons and nuclei together, and molecular bonds, which hold atoms together in molecules. Atomic and molecular bonds are both electromagnetic in nature, but atomic bonds are much stronger.

As for the weak interaction, Dr. Yock distinguishes four different forms, each with a different intrinsic strength. Three of these he fits into his theory; the fourth remains for the moment out of it.

The major defect of Dr. Yock's presentation is that it makes many qualitative, but no quantitative predictions. He excuses himself by saying that it is extremely difficult to calculate quantitative predictions in any theory of particle phenomena, and he hopes that publication of his ideas will persuade others to join him in the job.

**He does estimate** that the mass of a free subnucleon is something like 100 times that of a proton. When they bind together much of this is lost. The characteristic dimension over which subnuclear interactions should make themselves felt is about  $10^{-16}$  centimeter. Nuclear forces have a range about 1,000 times that.

So far there is no direct evidence for the existence of subnucleons, but two recent observations give Dr. Yock ammunition for indirect arguments. In 1967 Dr. Peter Fowler of the University of Bristol in England and co-workers found massive, highly charged objects among the cosmic rays that they could not explain as heavy atomic nuclei or any other known particles.

In 1969, Dr. C. B. A. McCusker of the University of Sydney in Australia found unusual tracks in cloud-chamber pictures. Dr. McCusker thinks his unusual tracks were made by quarks, but Dr. Yock thinks both instances can be used in favor of his subnucleons. □