

OF THE WEEK

Radio astronomy data on SS433	403
Manufacturing "the Now fuel"	404
Protein deprivation affects generations	404
FDA sets lab standards	405
Ozone flux linked to sun	405
Infrared snapshots catch molecules in the act	406
Novel theorizing about Uranus's rings	406
Cocaine more dangerous than was thought	407
Argonne participates in fusion race	407

RESEARCH NOTES

Earth Sciences	402
Astronomy	402
Space Sciences	410
Physical Sciences	410

ARTICLES

Chemicals and cancer	411
Challenging geometry	412

DEPARTMENTS

Science on TV	414
---------------	-----

COVER: Can you find four points within this closed curve that form the vertices of a square? Even if you can, can you prove that every closed curve contains the vertices of a square? This is only one of the as yet unsolved problems in geometry. For more see p. 412. (Drawing by Dale Appleman)

Publisher	E. G. Sherburne Jr.
Editor	Robert J. Trotter
Senior Editor and Physical Sciences	Dietrick E. Thomsen
Behavioral Sciences	Joel Greenberg
Biomedicine	Joan Arehart-Treichel
Earth Sciences	Susan West
Life Sciences	Julie Ann Miller
Policy/Technology	Janet Raloff
Space Sciences	Jonathan Eberhart
Contributing Editors	Lynn Arthur Steen (mathematics) Kendrick Frazier John H. Douglas Michael A. Guillen
Science Writer Interns	Mary-Sherman Willis Marcia F. Bartusiak Judy Klein
Assistant Editor	Dale Appleman
Art Director	Angela Musick
Assistant to the Editor	Jane M. Livermore
Books	Donald Harless
Business Manager	Scherago Associates
Advertising	1515 Broadway New York, N.Y. 10036 Fred W. Dieffenbach, Sales Director

Copyright © 1979 by Science Service, Inc., 1719 N St., N.W., Washington, D.C. 20036. Republication of any portion of SCIENCE NEWS without written permission of the publisher is prohibited.

Editorial and Business Offices
1719 N Street, N.W.
Washington, D.C. 20036

Subscription Department
231 West Center Street
Marion, Ohio 43302

Subscription rate: 1 yr., \$15.50; 2 yrs., \$27.00; 3 yrs., \$37.50 (Add \$3 a year for Canada and Mexico, \$4 for all other countries.) Change of address: Four to six weeks' notice is required. Please state exactly how magazine is to be addressed. Include zip code.

Printed in U.S.A. Second class postage paid at Washington, D.C. Title registered as trademark U.S. and Canadian Patent Offices.

Published every Saturday by SCIENCE SERVICE, Inc. 1719 N St., N.W., Washington, D.C. 20036. (202-785-2255)
TWX 710-822-9433 SCIEN NEWS. ISSN 0036-8423

JUNE 23, 1979

SCIENCE NEWS OF THE WEEK

SS433 in Radio Astronomy

The weird object near the edge of our galaxy that is known as Sanduleak-Stephenson 433 first created a sensation with its appearance in visible light. Its spectrum contains lines that move — that is, change wavelength—from red to blue and back again at an unheard of rate. This seems to indicate periodic acceleration of large amounts of matter at high rates and therefore some very funny astrophysics going on in the object (SN: 4/28/79, p. 277; 6/2/79, p. 357).

Radio astronomers have joined the observations, of course, and now their reports are beginning to come in. One of the first shows that SS433 sits right in the middle of W50, a supernova remnant that is detectable only by radio. It was done by B. J. Geldzahler, T. Pauls and C. J. Salter with the 100-meter radiotelescope of the Max Planck Institute for Radio Astronomy in Bonn.

Geldzahler, Pauls and Salter made a contour map of the radio brightness at 11 centimeters wavelength of that part of the sky, and from it the illustration reproduced here was made by treating radio brightnesses as if they were light brightnesses and simulating a photograph (with a computer) that represents the variation of radio brightness over the area. SS433 is the bright spot in the middle of the haziness that represents W50. North is up; east is left. The bright spot northeast of SS433 is probably an extragalactic radio source projecting through W50. The HII cloud S74 is the nebulous tongue northwest of W50.

"[We] have shown that the distance to the supernova remnant is very close to the limit on the distance to SS433 set by other workers," Geldzahler writes to SCIENCE NEWS. "In view of the central location of SS433 within W50 and the uncertainties in both of the distance estimates, it is not unlikely that the two objects are physically related and were produced in the same supernova event some 40,000 years ago." If so, this would be the third such association of a compact starlike object

with a gaseous supernova remnant (the other two are the Crab and Vela nebulas), and it would add another aspect to the speculations on the astrophysical qualities of SS433. The theory of supernova explosions expects that the core of the star that explodes as a supernova will be crushed into a highly compact object — a neutron star or maybe a black hole. On other grounds theorists have suggested that SS433 is both.

Meanwhile, back at the radiotelescopes, in the early days of June two very-long-baseline observations of SS433 were run, one by Geldzahler and co-workers with David Shaffer of the National Radio Astronomy Observatory, the other by three Caltech astronomers — Anthony Readhead, R. Craig Walker and Robert Preston. Very-long-baseline interferometry involves combining signals recorded from the source by widely spaced telescopes. If two such signals recorded at the same time at different antennas are combined, there will be a phase difference caused by the difference in antenna location. The phase difference causes a pattern of reinforcements and cancellations of the signal — "light and dark fringes" as they are called. From the fringe pattern fine detail can be learned that a single telescope could not reveal. Observers can resolve extremely fine structural detail, provided, as Robert Brown of the NRAO reminds us, that the radio source is larger than the projection at its distance of the spacing between fringes.

Geldzahler and his co-workers intended to use telescopes in Bonn, Massachusetts (Haystack), Green Bank, W. Va. (NRAO), and Big Pine, Calif., and he expressed the hope of being able to distinguish distances as small as the diameter of the earth's orbit. Brown told SCIENCE NEWS that the observation went off but the California telescope failed to function. What that will mean for the data remains to be seen as they haven't been reduced yet. Walker told SCIENCE NEWS he believes that the Geld-

SS433 appears in the middle of supernova remnant W50 in this simulated photo made by translating brightness contours of 11-cm radio into a scale of light intensities.



Geldzahler, Pauls and Salter

zahler group should have gotten good data. They did a full 12 hours' observation, as did Walker's group.

The Caltech observers used nine antennas located from Sweden to South America, from Germany to California. That is an unusually large number for a single VLBI observation, and it includes three deep-space tracking antennas, which are rarely

assigned to this kind of work. Two antennas did not work, but the remaining seven would be a good data base nevertheless. Walker says he knows they got fringes between Goldstone (one of the deep space antennas) and Owens Valley, and that's an indication they will have something good when all the data are processed. That is likely to be in a few weeks. □

Moonshining around the world

The development of alcohol fuels for transportation is attracting increased interest in the United States as gas lines grow. On May 4 and June 12 the House Subcommittee on Energy Development and Applications held hearings on the feasibility of what Chairman Richard L. Ottinger (D-N.Y.) calls "the Now fuel." Witnesses for the second hearing reported to the Congressman on the findings of the International Alcohol Fuels Symposium held in Asilomar, Calif., a week earlier. Among the witnesses was Rep. Toby Roth (R-Wisc.) who berated the U.S. government for the "lack of emphasis being given to the area of alcohol fuels by the Department of Energy, and by others in the executive branch." DOE currently allots less than 0.2 percent of its budget to alcohol fuel research.

The Asilomar meeting, and one in March sponsored by the United Nations Industrial Development Organization at its headquarters in Vienna, Austria, point to a worldwide research effort in alcohol fuel development, aimed at decreasing dependence on imported crude oil.

The leader is Brazil's government-sponsored National Alcohol Program (PRO-ALCOOL), which is investing \$5 billion through 1985. PROALCOOL is the only national energy program in the world that cultivates a renewable alcohol resource: sugar cane. Brazil's next crop will yield about 900,000 gallons of ethanol — more than twice last year's yield. Volkswagen has provided a fleet of cars and General Motors a fleet of busses that run on pure alcohol. Car owners can buy a \$200 alcohol conversion kit from São Paulo mechanics for their gasoline engines.

The availability of alcohol fuel in Brazil has attracted car companies such as Ford, Fiat and Mercedes-Benz — all eager to produce alcohol-powered vehicles. To them Brazil has the advantages of lax pollution restraints, an underemployed labor force and a climate good for cultivation.

Other nations not so well-endowed in high-carbohydrate crops are turning to methanol production. Germany, Sweden, Canada, New Zealand, Australia and the Philippines process methanol from cellulose available in their own renewable resources — pine forests in the north or eucalyptus in drier climates.

The most popular nonrenewable source of methanol is natural gas. By 1981, the Soviet Union will have the largest methanol plant in the world, contracted by Davy Powergas and located in the heart of Siberia. The natural gas (85 percent methane) will be converted to methanol for easier transport. The odds are that because of the huge volume of methanol produced by the plant (2,750 metric tons per day), some will be used as transportation fuel, says Alec Jordan, spokesman for Davy Powergas.

Research from all over the world finds alcohol fuels, whether pure or mixed with gasoline, to be cleaner and more fuel-efficient than gasoline alone. Why then does Brazil stand alone as the most actively involved in alcohol production from renewable resources? Serge Gratch, lab director at Ford Motor Co. and witness at the Ottinger hearing, told SCIENCE NEWS, "The biggest single difference is the form of government" — Brazil's dictatorship welcomes the new technology with open arms. □

studied rats from this long-term, protein-malnourished colony, rats that had been protein-deprived for only one or two generations and rats from a colony that had never been protein-malnourished. There were both males and females in each of the three groups. Galler and Manes then gave all three groups of rats tests of visual learning, which required the animals to learn to discriminate between different patterns in two windows in a backboard and to jump through one or the other window in response to these visual cues. Galler and Manes found that whereas both female and male rats whose ancestors had been malnourished for many generations were much slower to learn these visual tasks than were controls, among those who had been nutritionally deprived for one generation, only males, not females, were slower to learn than were controls.

Galler and her co-workers aren't sure why cross-generation protein malnutrition should lead to learning problems, and why female and male rats should respond differently to protein malnutrition.

In her second study, which she conducted with Steven B. Wilkins, Galler switched rats that had been protein-deprived for many generations to adequate protein diets for several generations to see how long it would take them to catch up with control rats on the same visual learning tasks. Female rats were found to recover after only one generation on an adequate protein diet, but males did not recover even after two generations. Thus, provided an adequate protein diet is introduced, female rats are more likely to recover from learning problems due to cross-generation malnutrition than are male rats. Galler and Wilkins don't know why females should have the advantage.

Nonetheless, "The implications of this research for human populations are clear," Galler asserts. "By giving people with a history of poor nutrition an adequate diet, they will improve physically. However, these people who look normal may learn more slowly and have more difficulties in social situations because of the lingering effects of malnutrition. Food is the first step. It is the most important step, but for populations with a whole range of deprivations, economic and social as well as nutritional, good food is not enough."

So what is? Perhaps good food plus an enriched environment, Galler contends. She and her co-workers will now attempt to see whether rats deprived of protein over many generations regain their learning abilities more quickly if they are given an adequate protein diet plus an enriched environment—rather than simply an adequate protein diet.

Galler and her team reported the above findings at the recent annual meeting of the Federation for Clinical Research in Dallas and have submitted two papers detailing their results to DEVELOPMENTAL PSYCHOBIOLOGY. □

Protein lack and the next generation

Two unprecedented studies of rats recently conducted at the Massachusetts Institute of Technology suggest that the effects of protein malnutrition on human learning are more far-reaching, complex and hard to erase than was previously believed.

Specifically, experiments conducted by Janina R. Galler and her colleagues at MIT's Department of Nutrition and Food Science have shown that learning deficits may be severe when protein malnutrition is present across many generations, that males are more susceptible to learning

difficulties due to one generation of protein malnutrition than are females, and that whereas females can recover from learning deficits due to multi-generation protein malnutrition in only one generation, it takes males at least three generations to recover.

The reasons such studies haven't been conducted before, Galler told SCIENCE NEWS, is that "we have a unique situation of having an animal colony that has been protein-deprived for up to 20 generations." In her first investigation, which she conducted with Michael Manes, Galler