

SCIENCE NEWS®

The Weekly Newsmagazine of Science

A Science Service Publication
Volume 138, No. 23, December 8, 1990

E. G. Sherburne Jr.	Publisher
Patrick Young	Editor
Laurie Jackson	Managing Editor
Janice Rickerich	Production/Design Director
Bruce Bower	Behavioral Sciences
Ivan Amato	Chemistry/ Materials Science
Richard Monastersky	Earth Sciences
Janet Raloff	Environment/Policy
Ron Cowen	General Science
Kathy A. Fackelmann, Rick Weiss	Life Sciences/ Biomedicine
Ivars Peterson	Mathematics/Physics
Jonathan Eberhart	Space Sciences
Jennifer L. Miller	Editorial Assistant
Ingfei Chen, Robert N. Langreth	Science Writer Interns
Liz Marshall	Books/Resource Manager
Donald R. Harless	Advertising/Business Manager

SCIENCE NEWS (ISSN 0036-8423) is published weekly on Saturday, except the last week in December, for \$34.50 for 1 year or \$58.00 for 2 years (foreign postage \$6.00 additional per year) by Science Service, Inc., 1719 N Street, N.W., Washington, D.C. 20036. Second-class postage paid at Washington, D.C., and additional mailing office. **POSTMASTER:** Send address changes to SCIENCE NEWS, 231 West Center Street, Marion, OH 43305. Change of address: Four to six weeks' notice is required — old and new addresses, including zip codes, must be provided.

Copyright © 1990 by Science Service, Inc. Title registered as trademark U.S. and Canadian Patent Offices. Printed in U.S.A.

Editorial and Business Offices:
1719 N St., N.W., Washington, D.C. 20036
(202-785-2255)

Republication of any portion of SCIENCE NEWS without written permission of the publisher is prohibited.

Subscription Department:
231 West Center St., Marion, OH 43305
For new subscriptions only, call 1-800-247-2160.

This Week

- 356 Heightened Concern Over Growth Hormone
- 356 Astro finally eyes X-ray and UV universe
- 357 Engineered rats reveal arthritic surprise
- 357 Buckeyballs get their first major physical
- 358 Elusive patterns seen in solar neutrino data
- 358 Satellite secrecy doesn't sink scientists
- 359 Keck telescope sees its 'first light'
- 359 Cyprus dig pushes back colonization date
- 359 Maker, NASA blamed for Hubble's defect
- 367 Great Barrier Reef: A youngster to the core

Articles

360 Snakebite Succor

Cover: Tricked into attacking a less-than-tasty target, this rattlesnake releases a potentially deadly dose of venom. More than 100 proteins endow the toxin with its tissue-dissolving and nerve-stunning properties. For many snakebite victims, the only chance for relief — and in some cases survival — depends on rapid treatment with commercially produced antivenins, which carry their own array of risks. Scientists are now experimenting with new antivenins that appear more effective and less dangerous. (Photo: Ron Garrison/San Diego Zoo)



364 Bleached Reefs

Departments

- 354 Books
- 355 Letters

Science Service Institution for the public understanding of science founded 1921; a nonprofit corporation.

Board of Trustees — *Chairman*, Glenn T. Seaborg; *Vice Chairman*, Gerald F. Tape; *Treasurer*, Willis Harlow Shapley; *Joseph W. Berg Jr.*; *Robert W. Fri*; *David A. Goslin*; *J. David Hann*; *Milton Harris*; *Leon M. Lederman*; *Shirley M. Malcom*; *Elena O. Nightingale*; *Ben Patrusky*; *H. Guyford Stever*; *Deborah P. Wolfe*.
Honorary Trustees — *Edward Bliss Jr.*; *Bowen C. Dees*; *O. W. Riegel*; *John Troan*.

President: E. G. Sherburne Jr.; **Business Manager:** Donald R. Harless.

Letters

Earlybirds

"Chinese bird fossil: Mix of old and new" (SN: 10/20/90, p.246) makes a mountain of a molehill. These roughly 135-million-year-old remains from the Lower Cretaceous of China are but a few million years older, if at all, than *Ambiortus* from the Lower Cretaceous of Mongolia. The ages of both can be questioned, but they are as little as 5 to 8 million years apart, and possibly coeval through their geologic ranges.

Ambiortus was described by Kurochkin in 1982, and I studied the specimen in Moscow. It was a powered flier with a keeled sternum and the flight apparatus of a modern bird. The carpometacarpus was fused, but it had a third clawed phalanx on the major digit of the wing; modern birds typically have only two phalanges.

You quote paleontologist Paul C. Sereno as stating that the Chinese bird "is the first bird with the capacity for a modern flight stroke."

Yes, but the genus may have flown in the same trees with *Ambiortus*.

You further state, "Many paleontologists believe *Archaeopteryx* could not fly well, and they envision the creature flapping its wings while jumping after insects."

These "many" should study the wing of *Archaeopteryx*. It is, in profile, the typical elliptical wing of a modern woodland bird, exhibiting feathers unchanged even in microscopic detail during 140 million years. The flight feathers of *Archaeopteryx* have asymmetric vanes, curvature and a longitudinal furrow along the ventral side — all uniquely characteristic of modern flying birds.

Organisms' behavioral capabilities are usually orders of magnitude greater than can be demonstrated by simple biomechanical analyses. The good is oft *not* interred with their bones. When one considers the elliptical wing and feather characters outlined above, there are four derived flight features shared only by *Archaeopteryx* and modern flying birds. These

render the earliest bird arboreal, certainly not a terrestrial fly-swatter.

Archaeopteryx flew!

Alan Feduccia
Professor of Biology
University of North Carolina
Chapel Hill, N.C.

Keeping a cool head

"The Great Brain Drain" (SN: 10/13/90, p.232) is an excellent overview of Dean Falk's theory and the underlying physiological and anthropological mechanisms of brain-temperature regulation.

Finding an article in the same issue on the effects of clonidine on menopausal hot flashes ("Flushing out the mechanisms of hot flashes," p.229) is an amazing coincidence. Clonidine is efficiently used to cure rosacea, a common vascular dermatosis of the face. In such pa-

Letters continued on p.362

DECEMBER 8, 1990

355

bodies are shaped like the letter Y, he explains. The arms perform the work of venom neutralization, while the bottom leg, known as the Fc fragment, triggers the unwanted immune reactions in people. Papain not only dismembers the Fc fragment, but also divides the remaining V into two individual arms. The arms still do their job, but their individually small size allows them to spread more efficiently through the body.

In contrast, the Wisconsin team injects venoms into chickens, which produce antibodies that become concentrated in the yolks of those chickens' eggs. To purify the relevant antibodies, says Carroll, "you separate the yolks from the whites, just like you would in your kitchen."

After several steps of protein purification, the researchers pour the antibody-rich solution through a column lined with venom proteins. Only the venom-specific antibodies stick to this column, while extraneous proteins wash straight through. Later, by adding a special solvent, the researchers flush out and collect the retained, highly purified venom antibodies.

The process, called affinity purification, is state-of-the-art in antibody purification. Moreover, while egg proteins can trigger allergic reactions in some people, and the egg antivenins still retain their Fc fragments, the Wisconsin team

anticipates no serious reactions to their product. That's because chicken Fc fragments can't trigger the so-called complement cascade in humans — the intense inflammatory reaction that underlies many of the more serious symptoms of serum sickness and anaphylaxis.



The Southern Pacific rattlesnake (Crotalus viridis helleri) lurks among rocky crevices and tree roots in California.

That's a real advantage of using chickens, concedes Egen, who is working on the competing system in sheep. "The method could have a lot going for it," he says. "But how the hell do you get enough antibody? This could take a lot of eggs."

In fact, says Bruce S. Thalley, who works with Carroll on the chicken-based antivenin, the Wisconsin team has already tripled their yield to about 3.3 milligrams of specific antibody per egg, and yields

continue to improve. Still, with the average snakebite victim requiring 500 to 1,000 milligrams, that means the researchers need 12 to 25 dozen eggs to produce one therapeutic dose.

Not everybody agrees the Wisconsin approach will work. "People are more allergic to chickens than they are to horses," asserts John B. Sullivan Jr., a University of Arizona antivenin authority involved in the new sheep antivenin. "This whole thing with chickens may not hatch."

But the Wisconsin team defends their method. "Lots of those allergies are to things in egg whites," says Thalley. "We're pretty optimistic that so long as [our antivenin] is from egg yolk and it's highly purified, we won't have any problems."

Researchers in Australia and elsewhere say they hope some improved product gains U.S. market approval before long. Already, Sutherland says, researchers at his lab are looking beyond animal antibodies to an entirely new generation of antivenins made from genetically engineered proteins.

Of course, he adds — with a little pride coming through his tangy accent — it makes sense that Australians are hell-bent on developing extremely high-quality antivenins. "I don't mean to brag, but our antivenins have to be the finest," he says. "Australia is home to the 10 most dangerous snakes in the world." □

Letters continued from p.355

tients, ophthalmic emissary veins do not operate to regulate brain temperature. We think (but this hypothesis has yet to be checked) that clonidine may "open" emissary veins, and that this mechanism may correct the lowering of the setpoint of temperature regulation during hot flashes. The brain-cooling mechanisms operate only in the state of hyperthermia. It is therefore not surprising that hot flushes induced by manipulation of the thermal state, as is the case in Freedmann's patients through the use of hot water pads, can be accessible to clonidine, whereas in other studies this was not the case.

A better knowledge of the physiological mechanisms of brain-temperature regulation will have important consequences not only in physiology and anthropology, but also in many fields of clinical medicine. In my opinion, a general review of selective brain cooling in a multidisciplinary journal is urgently needed.

*H. Brinnet
Head, Dept. of Medicine
Hôpital-Maternité de l'Arbresle
Lyon, France*

Saturn's spots

The statement "Astronomers observing the ringed planet have not glimpsed a comparable phenomenon on Saturn in 57 years" ("Spotting an ephemeral artifact on Saturn," SN: 10/13/90, p.228) is incorrect.

In 1960, J.H. Botham and A. Dollfus discovered a similar spot lasting five to six weeks. After it disappeared in May of that year,

another large spot broke out in August at the same latitude, as confirmed by members of the British Astronomical Association. The 1933 spot you mention was discovered by British comedian W.T. Hay. Similar spots were seen in 1876 by Asaph Hall and in 1903 by E.E. Barnard. The only major difference in the spots of 1933, 1960 and 1990 was that the 1960 spots were in a latitude some 20° higher.

The periodicity of these events is well established — so much so that both SKY AND TELESCOPE and the Saturn section of the Association of Lunar and Planetary Observers were able to predict some time ago the appearance of a large spot in either 1989 or 1990. I saw the spot well displayed on Oct. 6 with 3-inch and 5½-inch refracting telescopes.

On the basis of the periodicity of these events, we can confidently state that a similar phenomenon will repeat itself around 2019 to 2021.

*Rodger W. Gordon
Nazareth, Pa.*

You are certainly correct that significant white spots on Saturn have occurred as recently as 1960. My statement that no comparable event has been seen since 1933 was based on an interview with astronomer Reta Beebe of New Mexico State University, who pointed out that the size of the current spot, even before its most recent expansion (documented by Hubble images), significantly exceeded that of the 1960 phenomenon.

It may well be true that the white spot was visible in October with a telescope smaller than 6 inches in diameter. But the astronomers I interviewed in October thought that amateur astronomers would likely need a 6-inch instrument to easily view the spot.

— R. Cowen

Twilight musings

"Reflections on Refraction" (SN: 10/13/90, p.236) reminds me of a musing I often have when I see the sky at twilight: How much have atmospheric pollutants changed the visual impact of sunsets? I first had this thought while watching a particularly breathtaking sunset in air so clear that the boundary of sky and sea seemed like a razor slice.

If atmospheric pollution contributes significantly to the refractive process Bradley Schaefer is documenting, it seems this might have some bearing on the archaeoastronomy questions discussed in your article.

*Richard H. Tew
Encinitas, Calif.*

Letter choice contested

Why would an editor devote precious space to a lecture on the gospel according to C.S. Lewis? I am referring to Peter H. Shaw's letter to the editor, titled "Altruism: A simpler explanation?" (SN: 9/15/90, p.163).

Shaw's objection to evolutionary explanations for altruism is obviously based on a fundamentalist interpretation of the Bible. In his letter, he quotes C.S. Lewis, author of fundamentalist Christian sword-and-sorcery novels and guru to creationist young-Earthers.

I am only an amateur paleontologist, but I have nothing to learn in the way of science from C.S. Lewis. None of us does.

*Tom Cole
Chandler, Ariz.*

The Letters section provides a forum for readers' personal or professional opinions and does not necessarily reflect editorial endorsement of particular viewpoints.

— the editors