been erroneously reported as free from radium when the conventional electroscope detector was used. The breath of patients can also be analyzed to determine how much radon emanation is being exhaled.

Treatment for radium poisoning by the methods used to treat lead poisoning has been tried in collaboration with doctors at Harvard's Huntington Memorial Hospital. Used upon a typical case, it gave promising results. It consists of replacing some of the radium contaminated calcium in the patient's bones by fresh clean calcium through the use of special medication.

Science News Letter, May 2, 1936

CHEMISTRY

Powerful Explosive Made from Cornstarch By-product

Inositol From Farm Wastes Is Basic Material for Blasting Agent More Powerful than Nitroglycerine

A N explosive more powerful than nitroglycerine can be made from the corn product wastes of the nation, it was revealed by Prof. Edward Bartow, president of the American Chemical Society, in an interview at the Society's meeting.

No mere dream is the new explosive and blasting agent which outdoes dynamite in potency. Powder companies are already investigating the new material, and if the costs can be lowered America will not only find its corn a valuable industrial commodity in the explosives field but a line of defense in time of war.

Basic material of the new explosive is a sugar-like substance, inositol, made from the waste "steep" waters in which corn is soaked as a step in the manufacture of cornstarch. Inositol, said Prof. Bartow, can be converted into an explosive known as hexanitroinositol, containing six nitrogen atoms. Nitroglycerine is technically known by the chemical name of trinitroglycerine and has three nitrogen atoms.

The explosive hexanitroinositol, Prof. Bartow pointed out, has advantages over nitroglycerine because it is a solid compound instead of a liquid and can thus be used directly as a blasting agent, like dynamite. Its explosive properties are essentially the same as those of nitroglycerine.

Dynamite is useful because it is a solid material and can be more easily handled than a liquid explosive. The inherent disadvantage of dynamite, Prof. Bartow indicated, is that while it contains powerful nitroglycerine, the latter must be soaked up by sponge-like, non-reacting rare earths. Thus the solid dynamite is only part nitroglycerine. The rest is absorbent material.

The basic material inositol, from which such a super-explosive could be made, has been known for many years as a laboratory curiosity, said Dr. Bartow. It could be purchased on the open market in gram amounts for a cost of about \$500 a pound.

Working at the State University of Iowa, where he is chairman of the Department of Chemistry, Prof. Bartow and his assistant, Dr. W. W. Walker, have improved the process for making inositol, so that the cost per pound is only a fraction of the former price.

On a production basis demanded by the potential explosives market, the cost should be reduced to forty cents a pound, which would meet competitive figures, Prof. Bartow indicated.

Inositol is commonly but incorrectly called a plant sugar. Slight traces of it are found in the human body in the muscle and liver tissues. Its physiological significance to the body is yet unknown but the University of Iowa Medical School is now studying the problem.

Almost all the inositol in the world just now consists of a stock of 25 pounds, which Prof. Bartow keeps locked in a safe in his laboratory.

Science News Letter, May 2, 1936

PHYSIOLOGY

Shock Causes Ebb of Blood Turning Face White

SUFFERERS from shock, turning white as the proverbial sheet, have good physiological reason for their pallor. The blood from their cheeks, and the blood even more vitally needed elsewhere in the body, has ebbed into the smallest blood vessels, which have be-

come unnaturally dilated. Further, much of the fluid part of the blood has oozed out of the blood vessels altogether, and is in the other tissues, making them watery or "edematous." It is possible for a patient suffering from shock to "bleed to death into his own blood vessels."

These are the outlines of the physiological set-up of shock, as pictured before the American Philosophical Society by Dr. Virgil H. Moon of Jefferson Medical College.

All the tissues of the body have more than they need of capillaries, the microscopically fine, thin-walled vessels that connect the ends of the arteries with those of the veins. The muscles alone, Dr. Moon said, have capillaries enough to contain all the blood of the body. When shock occurs, these dilate, and also the tiniest of the vein-branches. Into the extra space thus created a great share of the blood ebbs. Furthermore, much of the plasma, or blood fluid, oozes out through the walls, leaving the remaining blood "thicker," or more concentrated.

The heart, not receiving the return stream of blood it normally should, cannot keep up the blood pressure. Body temperature drops, and the fires of life burn dangerously low.

Science News Letter, May 2, 1936

MEDICINE

Make Advance in Search For Monoxide Antidote

WHAT is claimed to be a marked advance in the search for an antidote for carbon monoxide poisoning was reported to the American Chemical Society by Drs. Samuel and Joseph Seifter of the University of Oklahoma Medical School.

In studies on rats, Drs. Seifter found an injection of the compound known as hexahydroferric chloride resulted in 75 per cent recovery after the animals had been poisoned with carbon monoxide gas. It is this gas which appears in the exhaust gas of motor cars and leads to deaths when drivers run their motors in closed garages.

The new antidote chemical, it was found, is too drastic in its action to be useful on animals higher in the scale of evolution than rodents. Already a search is being made for variations of the chemical which are less irritating and might thus be used for higher animals. The hope, of course, is that the new line of investigation will eventually lead to discoveries having applications to human beings.

Science News Letter, May 2, 1936