THE SCIENCE NEWS-LETTER

A Weekly Summary of Current Science EDITED BY WATSON DAVIS

ISSUED BY SCIENCE SERVICE 1115 Connecticut Avenue WASHINGTON, D. C.

EDWIN E. SLOSSON, Director

WATSON DAVIS, Managing Editor



The News-Letter, which is intended for personal, school or club use, is based on Science Service's Daily Science News Bulletin to subscribing newspapers. For this reason, publication of any portion of the News-Letter is strictly prohibited without express permission.

Saturday, March 31, 1923

Vol. II, No. 103

PROOF OF EINSTEIN'S THEORY COMES FROM WITHIN ATOM

The light from the interior of the atom, as well as the light from the distant stars, gives evidence in support of the Einstein theory of relativity according to Prof. A. Sommerfeld of Munich. Following his series of lectures at the Bureau of Standards in Washington, the German professor gave the results of his calculations of the orbits of the electrons in hydrogen and helium atoms and showed that the grouping of these lines in the spectra of these gases was in close conformity with the figures given by the Einstein formula.

According to the modern view of the internal structure of the atom there is a central nucleus of positive electricity around which revolve at high speed one or more negative electrons. These may move in circular or in elliptical orbits as do the planets around the sun. If the orbit is a circle the revolving electron moves at an even speed throughout its course. But if the orbit is an ellipse the electronsmust move faster when it is making the turn nearest to the central nucleus at the focus than when it is at the more distant end of the ellipse. This difference in speed would make no difference to the mass of the electron according to the old Newton theory for this assumed that mass was unalterable. But according to the new Einstein theory a particle moving at high speed is heavier than when moving slower, so the electron would vary in mass in different parts of its elliptical orbit and therefore the energy it gave off in the form of light would depend upon the shape as well as the major diameter of the orbit.

such

There are only a limited number of/orbits that an electron can pursue and in slipping from one of these to another a certain quantum of light is given off which may be recognized by its position in the spectrum. The light given off from the incandescent gases, hydrogen and helium, as well as the X-ray spectrum of heavy metals like platinum, show that the corpuscles making up the atom obey Einstein's law instead of Newton's.

Astronomical evidence on the Einstein theory is expected whenever Prof. W. W. Campbell, director of the Lick Observatory and president of the University of California, announces the results of his expedition to Australia last September to take photographs of the eclipse when visible. If the photographs show an outward displacement of the stars surrounding the darkened disk of the sun, it will prove that Einstein was right in predicting that a ray of star-light passing close to the sun would be drawn out of its course. For, according to Einstein, space about a heavy body like the sun is distorted so that light cannot travel straight; a point that Prof. Sommerfeld illustrated by putting his hand under the piano spread and puckering it up. A billiard ball, he said, would have difficulty in passing over such a hummock as light does in passing through a gravitational field. Space by itself does not exist but is produced by what is in it and the sort of space it is depends

The Science News-Letter

upon the amount and distribution and motion of the particles of matter.

READING REFERENCES- Einstein, Albert. The meaning of relativity; four lectures at Princeton University May, 1921. Princeton, Princeton University Press, 1923. Mills, John. Within the atom. New York., D. Van Nostrand Co., 1922. Slosson, Edwin E. Easy lessons in Einstein. New York, Harcourt, Brace and Co., 1920.

Dr. Edwin E. Slosson

CHATS ON SCIENCE

THE SUCCESS OF A FAILURE

"No," said the lumber dealer, "your boy is good for nothing in my business. In fact, he is the most miserable failure I have ever seen and will never amount to anything."

"Well," replied the disappointed father, "since Emil is too stupid to make a living in lumber I suppose I might as well let him go to college as he wants to."

So Emil Fischer went to Bonn University to study chemistry. Here he was recognized as one of the most brilliant and industrious students in the laboratory and by the time he was twenty-three he had discovered a key that unlocked one of the most mysterious processes of life. This key was a coal-tar compound known to chemists as "phenyl hydrazine". It was both fortunate and fatal to Fischer. It made him one of the most famous chemists in the world and it brought him disease and death. For the fumes of it are poisonous and constant working with it ruined his health.

But nothing could impair his energy or dampen his ardor. For after he got free from the lumber business and started on his own track, he pursued it for 45 Years without interruption or diversion. As one of his colleagues said at the time of his death in 1919:

"A life is ended in which there was no failure, no let-up in restless activity, no long groping about for something to accomplish. After one quick, clear vision of the goal the path led straight to its accomplishment, a chain of brilliant successes."

How Prof. Fishher himself looked at his life work is shown by these words;

"Still more enticing to some, among whom I include myself, is the hope to climb up out of the valleys to those passes seen afar off, which lead to vast and as yet unexplored countries."

The unexplored country that he had in view and ventured in was no less than the formative functions of vegetable and animal life. With the aid of phenyl hydrazine he was able to solve the secret of sugar. Not content with finding out how sugar may be made by the plant he learned to make it himself. He found it possible to produce in the laboratory many more kinds of sugar than can be discovered in nature. Finally, he worked out a process by which he could start with plain coal and water and build up a series of edible sugars.

Then Fischer tackled a still more difficult problem in nutrition, the constitution of the proteins. These form an essential part of our food since they contain the nitrogen necessary to all life. It used to be thought that the proteins, whether of vegetable origin, like the gluten of wheat, or of animal origin, like the casein of milk, were much alike and that it made little difference which of the many we got in our food. But Fischer showed that a protein molecule was made up of a long chain of carbon and nitrogen compounds and that the links were of very different kinds. Finally, he made a sort of artificial protein, what might be called a laboratory beefsteak, but whether it was good to eat or not could not be determined since there was so little of it and it cost so much. He spent \$250 for the material alone, to say nothing of his time, in constructing this compound, so, as he said, "it has not yet made its appearance on the dining table."

There is little prospect that the food of the future will come from the laboratory instead of the field. Even a professor of chemistry cannot live as cheaply as a cornstalk. But the work of Fischer on the sugars and proteins has already been of immense value to the world in leading to the newer knowledge of nutrition which is already being applied to the feeding of stock and people.

As Sir Henry Roscoe, professor of chemistry at Manchester, said of Fischer when he was awarded the Faraday medal: "His name has the sweetest of tastes in the mouth of every chemist". Fischer conquered for chemistry a field formerly claimed by biology. He brought within the reach of experimentation what had been regarded as the exclusive province of vital processes.

So it seems that a man may be a miserable failure as a lumber merchant and yet make a success of something else. The problem of education is to fit square pegs into round holes without whittling them down too much in the process of schooling.

READING REFERENCES- Fischer, Emil. Introduction to the preparation of organic compounds. Translated from the new (8th) German edition by R. V. Stanford, London, Williams and Norgate, 1909. Venable, E. P. A short history of chemistry. Revised edition. Boston, Heath and Company, 1921. Slosson, E. E. Creative Chemistry. New York, Century Company, 1920. McCollum, E. V. The newer knowledge of nutrition. New York, Macmillan Co., 1922.

STATE-WIDE RAT DRIVE YIELDS 670,000 DEAD

More than 200 tons of dead rats are the estimated casualties resulting from the state-wide anti-rat campaign, recently completed in Virginia through the cooperation of the State Agricultural Extension Division and the U. S. Biological Survey. The drive was under the supervision of Director John R. Hutcheson with the assistance of James Silver of the Biological Survey and was the first state-wide campaign of its kind under government direction. The number of dead rats exceeds that resulting from any similar attack on the dangerous and disease carrying rodents.

The wholesale slaughter was carried on by the use of poison, prohibited in civilized warfare, but still available against rats. Barium parbonate was the Poison selected because its relative harmlessness to man does not affect its extremely poisonous effect on rats. More than a carload, or 44,000 pounds, was distributed in 75 counties of the state. This is the largest quantity of the poison ever used in any such work in the short period of the campaign which lasted only one week. The humber of persons participating exceeded 158,000. The total number of rats slain was estimated at more than 670,000, enough to fill 8 or 10 large freight cars, or if stretched in a row, nose to tail, to make a line of dead rats 134 miles long. The estimate is considered most conservative by the Biological Survey experts on rat massacres as it assumes that only one Poisoned bait in 10 accounted for a marauding rodent.

The campaign was undertaken by the state authorities not only to effect immediate reduction of the rat population but also as a means of education of the people in the ways of exterminating the pests. Aside from their dangerous character as carriers of disease, it is estimated that each rat causes \$2 damage each year. The slain rats in Virginia, had they lived, would have caused at that rate more than \$1,300,000 damage in a year and as the cost of the campaign was but little more than \$7,000, the profit on the investment is figured by the managers as 19,000 per cent.

A picturesque feature of the drive was the offering of prizes by many organizations and individuals for the greatest number of rat tails turned in. The tails were for the most part taken from trapped rats as the poisoned ones slunk off to die, usually underground leaving their tale untold. School children were especially active in this form of the sport and a total of 91,365 rats was counted from the 75 counties.

The success of the battle of Virginia has encouraged the Federal authorities to undertake similar anti-rat campaigns in other states. Rats are considered a menace to humanity. Aside from the damage they do through destroying property they are known to be carriers of deadly diseases such as bubonic plague and trichinosis while they are definitely suspected of having much to do with the spread of infantile paralysis. An epidemic of jaundice in New York state a year ago was apparently due to rats.

It is assumed by experts that the number of rats is about equal to that of the human race in any given area of a civilized country. That would give a total of more than 2,300,000 rats in the state of Virginia. If the calculations of the ex-Perts are correct there is not a family of rats there which is not mourning the loss of two or more members and the total reduction of the rat population of the Old Dominion has been at least 25 per cent and possibly twice as much.

READING REFERENCES- U. S. Public Health Service. The rat and its relation to the Public health, by various authors. Prepared by direction of the Surgeon-General. Washington, Government Printing Office, 1910. U. S. Public Health Service. Information concerning rat surveys and rat proofing, with a model ordinance designed to regulate building with reference to rat-proofing. Washington, Government Printing Office, 1920. Schwartze, Erich Wilhelm. Toxicity of barium carbonate to rats. Washington, Government Printing Office, 1920.

A new variety of barley now being distributed to American farmers originated from a single plant raised from a stock seed imported from the southern border of the Black Sea.

Gasoline fumes liberated in an improperly ventilated workroom produce mild cases of chronic gasoline poisoning.

Traces of teeth are found in the embryos of some of the birds of today and are believed to be a heritage from early primitive reptile-like ancestors which had a full set of teeth.

CAPITAL ARGUES AGE OF OLD SWAMP

Fossil diatoms, microscopic plants which lived some quarter of a million years ago, and oldest inhabitants of this city who admitted to an age of less than 80 years were called as witnesses in a recent joint meeting of several scientific societies to determine the age of a subterranean cypress swamp unearthed in Washington through excavations for a new hotel. Geologists, biologists, and physiographers all appealed to scientific evidence to prove the swamp to be of the Pleistocene period, and were not disconcerted when a white-haired resident of the city asserted that while he could not date back 250,000 years, he had been swimming in the swamp.

The swamp relics, consisting of the stumps of huge bald cypress trees, and leaves and seeds imbedded in a black muck, were found at a level of about 16 feet below the surface and extending from 6 to 9 feet deeper. Few tree trunks were found. The muck soil contained many cypress leaves and seeds, as well as seeds of the grape, elderberry, blackberry, and several varieties of sedges, also many diatoms.

These diatoms, a ccording to Dr. Albert Mann of the Carnegie Institution, furnished one of the strongest evidences for the antiquity of the swamp for they were declared to be utterly unlike the diatoms which are now native to the District of Columbia. They closely resembled others found in ancient swamps near Montgomery, Ala., Crane Pond, Mass., and in parts of Africa and British Guiana, all of which have been identified as of Pleistocene origin.

Dr. Frederick V. Coville of the Department of Agriculture and Prof. E. W. Berry of Johns Hopkins University agreed that from a botanical standpoint the relics showed the climate of Washington to have been milder than at present and that they were of undoubtedly great antiquity. Dr. Laurence LaForge of the Geological Survey declared that from a physiographic standpoint the age of the swamp must have been at least that of the latest or "Wisconsin" ice age, or from 100,000 to 200,000 years.

The meeting then being thrown open to discussion one of the "Oldest Inhabitants" arose and said that he had been swimming in the swamp with hundreds of Civil War soldiers and government employees during that period. He accounted for the depth of it by fills which had been made by the District government subsequently. Dr. C. L. Marlatt of the Department of Agriculture also stated that there was good evidence for the belief that a swamp existed near the disputed site within the memory of living men.

In rebuttal, Dr. LaForge said it was well-known that a small stream used to flow near the site of the disputed swamp and that undoubtedly the clder generation of Washingtonians had bathed in its waters but that it was not exactly on the old swamp site and was at a higher elevation. When he asked any of the "Oldest Inhabitants" present who remembered seeing cypress trees growing in the swamp of their boyhood to stand up there was no reply.

The testimony seemed to indicate that while there was a swamp near the site of the one in question within recent times, it contained no cypress trees and that the one uncovered was of ancient origin, probably dating back to early Pleistocene time.

READING REFERENCES- Mann, Albert. The economic importance of diatoms. Smithsonian institution, annual report 1916. Washington, 1917.

5

6

WELLESLEY GIRLS LEARN INTERNATIONAL TONGUE EAGILY

An experiment in language study conducted with 300 girls has showed that an artificial language can be learned more easily than a natural language. The large volunteer class of Wellesley College students has just completed a course in which Frof. Christian A. Ruckmick taught them Danish and Esperanto at the same time. Esperanto, the proposed artificial international auxiliary language was mastered more quickly than the tongue of the Danes.

The two languages were given an equal chance during the six weeks course which was conducted under the department of psychology. Announcements of the course were hyphonated "Danish-Esperanto". The alphabets of both languages were given at the first class meeting and an equal review was held just before the double examination which was used in judging the relative ease of acquiring the two languages. The textbooks used were elementary and no home study was allowed. The books were locked up between classes.

"Even when the students missed some of the Esperanto classes they did better in Esperanto than in Danish," said Dr. Ruckmick. A partial grading of students present at all classes showed the following numerical score: Esperanto, 58:540; Danish, 45.924. Although there was no examination in pronunciation, Dr. Ruckmick believes that the students found Esperanto easier to speak. More ground was covered in the Esperanto lessons and this made the examination in the artificial tongue harder, although no allowance for this was made in the ratings. The linguistic experiments are being continued this semester.

Danish was selected for comparison with Esperanto in the scientific tests, Dr. Ruckmick said, because it is a typical highly-inflected Teutonic language in which the students had practically no grounding.

The Wellesley tests are being followed with interest by the International Auxiliary Language Committee of the International Research Council, as well as the Newly organized section on Linguistic Science of the American Association for the Advancement of Science.

MASTODONS AND MAMMOTHS ONCE PLENTIFUL IN NEW YORK

Mastodons and wooly mammoths were once as thick in New York State as the bison Were on the western plains a century ago, according to Dr. Sherman C. Bishop, zool-Ogist of the State Museum of New York. Although the mammoths were more closely related to the elephants, the only surviving members of the family, they were the first to become extinct and probably passed off the seene while the mastodons were still thriving.

Skeletons of mastodons, more or less complete, and some of them suitable for Museum mounting, have been found in about 100 localities in the state, the last one at Temple Hill, Orange County, in 1921. The first was made in Columbia county, not far from Albany, in 1705.

These huge mammals are believed to have flourished about the end of the last glacial period, some 20,000 years ago. Their skeletons are found generally in the marsh lands of those early days.

READING REFERENCE- Neuville, Henri. On the extinction of the mammoth. Smithsonian Institution annual report 1919. Washington, 1921. Lucas, F. A. Animals of the past. New York. American Museum of Natural History, 1922. Hutchinson, H. N. Extinct monsters and creatures of other days; a popular account of some of the larger forms of ancient life. New York., F. Appleton & Company, 1918.

OXYGEN GLUTTONS MAKE GOOD ATHLETES

Possibilities of athletic records of an entirely new sort are disclosed by Dr. A. V. Hill, professor of physiology if the University of Manchester, England, who proposes competitive measurements of the oxygen-using qualities of athletes, the man who absorbs most to get the prize. He also suggests tests of the amount of "credit" on oxygen which nature permits individual athletes.

Aside from the inherent strength of the muscles and the psychological quality of stamina, Dr. Hill believes the power of an athlete to depend largely upon his capacity to use oxygen quickly and upon the tolerance of his body for lactic acid, a waste product of muscular exertion which is rapidly oxidized upon the completion of the effort. This is measured by the amount of oxygen consumed immediately after the completion of the effort, the increased consumption being considered as the payment by nature of a "loan" made to the body during the period of severe exertion.

A professor in the University holds the record for oxygen consumption during exertion, having managed to utilize more than four liters, or a gallon, a minute while running vigorously. Dr. Hill calculates that to do this he had to pump all the blood in his body through his heart and lungs seven times in a minute. Another member of the faculty at the completion of violent exercise lasting 10 minutes, utilized in the next 10 minutes 10 liters of oxygen above the normal. This indicates according to Dr. Hill that he had about the maximum amount of lactic acid in his muscles or that his "line of credit" in oxygen was exceedingly good, his system putting up for a time with the lack of a great deal of it.

Dr. Hill surmises on the basis of these calculations that the maximum athletic records involving prolonged exertion may be calculated mathematically. For brief efforts the result depends, he says, entirely upon inherent muscle strength as it is not possible to go bankrupt for oxygen in a brief time.

READING REFERENCES- Bagby, English. The psychological effects of oxygen depreciation. Journal of Comparative Psychology. 1:1, February, 1921.

FEWER QUAKES THAN AVERAGE IN 1922

Eighty-four earthquakes strong enough to be felt by the unaided senses were reported in the continental United States during the year 1922, according to the annual summary issued by the U.S. Weather Bureau. The number was somewhat below the average. Nineteen of the quakes were of more than slight intensity but none caused more than slight damage.

Although localities in twenty states experienced shocks, the great majority were located either in California or in the neighborhood of the junction of the Ohio and the Mississippi rivers, the number of places reporting earthquakes being about the same in the two regions. Shocks were also felt at widely separated Points in New England, New York, the Southern Appalachian region, the Lake region, and the northern Rocky Mountain states.

The region around the junction of the Ohic and Mississippi rivers is one of the Principal earthquake sections of the continent. It was the center of what is described by experts as probably the most severe earthquake which has occurred within

The Science News-Letter

8

the limits of the United States since the days of the settlement. This was the famous New Madrid earthquake which took place about 112 years ago and was felt all through the middle Mississippi and lower Missouri and Ohio valleys.

Severe earthquakes are known to have occurred in New England during colonial times but none of any great intensity has been experienced since.

SAMPLES OF HAFNIUM COMING TO AMERICA

Samples of minerals and concentrated preparations containing Hafnium, the new chemical element discovered by Drs. G. Hevesy and D. Coster of the Institute of Theoretical Physics, Copenhagen, are en route to this country for examination by chemists here. The samples have been dispatched by Dr. Hevesy to Dr. George F. Kunz, president of the New York Mineralogical Club and are expected here shortly.

Hafnium is believed by Dr. Hevesy to be the hitherto missing or undiscovered element No. 72, and to be altogether a different substance from Celtium, detected in 1911 by the French chemist, Urbain, who thought it was element No. 72, but classed it with the "rare earths".

In a letter to Dr. Kunz, Dr. Hevesy indicated that a new atomic weight value for zirccnium, the metal with which hafnium was found, may be a by-product of the discovery.

"Virtually all commercially pure preparations of zirconium contain from one to five per cent. of hafnium, " said Dr. Hevesy. Since hafnium has an atomic Weight greater than zirconium, it is believed that the present accepted value for zirconium is too high.

In explaining why hafnium fits into the facant niche in the chemical table better than Urbain's celtium, Dr. Hevesy's letter explained that hafnium's chemical properties place it in the class of elements that include zirconium and thorium, and that "it has not been possible by means of highly concentrated Hafnium preparations to reproduce the characteristic optical spectrum ascribed by Urbain to Celtium, and which, together with an investigation of the magnetic properties of his preparation, was the basis of the announcement of the discovery of this elemen⁺."

HYDROGEN FROZEN AT BUREAU OF STANDARDS

Fersons looking for a cool place to spend the coming summer might profit by a consultation with some of the low temperature experts at the Bureau of Standards who have announced the freezing of 100 cubic centimeters or about a wingglass full of liquid hydrogen, at a temperature of 437 below zero Fahrenheit. It was frozen from about a liter of the liquefied hydrogen, approximately a quart in common measure. This is the first time solid hydrogen has been produced at the Bureau of Standards.

Although hydrogen was first liquefied by Dewar, the British scientist, about 25 years agon the experiment has not been repeated successfully more than a dozen times since. It presents great difficulties, absolute purity of the gas is necessary. A small fraction of one per cent. of air, for example, will freeze solid and clog up the apparatus.

Using a special multiple wall vacuum container, designed by Dr. C. W. Kanolt in charge of low temperature work, it has been found possible to preserve liquid hydrogen for a much longer period than with the older forms.

The degree of cold produced is inconceivable to the non-technical mind, the coldest temperature on the earth's surface over recorded having been only 90 below zero, recorded in Siberia, while temperatures as low as 70 are rarely experienced.

Solid hydrogen melts at a temperature of about 435 degrees below zero Fahrenheit. This is only about 25 degrees above the "absolute zero", where there is no heat left. Solid hydrogen has been used in trying to approach this goal which scientists believe will never be quite reached. Experiments at these extremely low temperatures have a bearing on theories as to the ultimate constitution of matter, which is one of the great problems of modern science.

READING REFERENCES- Taylor, Hugh S. Industrial hydrogen. New York. Chemical Catalogue Company, Inc. 1921.

NEW JERSEY BOY WINS HOOVER RADIO CUP

The highest honor in amateur radio, the Hoover cup of the American Radio Relay League was awarded this year to station 20M operated by Frederick B. Ostman, of Ridgwood, N. J. Announcement of the award was made at the League headquarters in Hartford by a committee of three judges selected by Hiram Percy Maxim, president.

The cup, which is awarded annually by the U. S. Department of Commerce through Secretary Hoover, is given to the best all around radio station, the major part of the equipment of which is home-made. Important factors in its selection are ingenwity in design, construction and arrangement, efficiency, consistent transmitting range, obedience to regulations, amount of traffic handled, and the accuracy and completeness of the station log.

In making the award, two other stations were given special consideration, "FZ, operated by F. Frimmerman of 740 Prospect Ave., New York City, and 5ZA, operated by Louis Falconi, Roswell, N. M., winner of the cup last year.

EEECTRICAL INSTRUMENT DETECTS METAL DEPOSITS

The old time magic divining rod used in the search for subterranean treasures has been succeeded by a reliable and accurate electrical set of instruments invented in Sweden, and used in the recent discoveries of valuable mineral deposits.

The discovery of the rich copper deposits in the Bjurfors field in Central Sweden, already announced, and of the huge iron ore deposits at Kristineberg, which has an estimated capacity of 100,000 tons of high class ore annually, is definite proof of what can be done by this new system. The invention has been definitely adopted by the Government Research Department, whose head, Axel Gavelin, hails it as of extreme importance to the continued development of Sweden's ancient mining industry.

The perfected system of detecting ore by the use of electricity, and without digging or drilling, has been called the Nathorst-Lundberg method, from the names of the Swedish inventors, who have triumphed after years of experimenting. By this

system, which makes use of an electric circuit through linear electrodes, it is Possible to locate deposits of iron, copper, lead, zinc, and even gold, and to determine their position, length, breadth, and general richness, though it may not distinguish between the metals.

This method which has been used successfully in Norway and Finland, as well as in Sweden, has been introduced in France and Italy, and has been patented in at least 30 countries.

TABLOID BOOK REVIEW

THE PLEISTOCENE OF NORTH AMERICA AND ITS VERTEBRATED ANIMALS FROM THE STATES EAST OF THE MISSISSIPPI RIVER AND FROM THE CANADIAN PROVINCES EAST OF LONGITUDE 95 DEGREES, By Olivor P. Hay, Associate of the Carnegie Institution of Washington, Published by the Carnegie Institution of Washington, Washington, February 1923.

A complete survey of the finds of mammalian fossils of the great Ice Ages, is included in this work which also supplies maps showing the distribution of the various elephants, camels, horses, and other forms not found living here at the time of the advent of white men to this continent. The author concludes from the mass of data which he has collected that the Pleistocene was a period of slight, if any, evolution of new forms, but that its five alternate periods of advancing and retreating ice sheets resulted in a progressive extermination of many species. This is an invaluable reference book for the vertebrate palaeontologist.

STUDIES IN PLANT RESPIRATION AND PHOTOSYNTHESIS, By H. A. Spochr and J. M. McGee. Published by the Carnegie Institution of Washington. February, 1923.

The old problem of how to use sun power has been worked on by the Carnegie Institution's laboratories in Tucson, Arizona and Carmel, Calif., for the last eight years. These scientists have been studying the only successful converter of sclar energy, the green pigmented living plant, in an endeavor to discover the sescret of its process. This book is a technical presentation of the results of that study and the methods being used in it, as well as a statement of the problem and a review of the work done by others toward its solution.

The resurrection forn of our Southern States, a plant which remains in a state of suspended animation during drouth, has been known to survive for more than a Year without water.

Glasgow, Scotland, was miles away from its port on a shallow stream two feet deep, when in 1773 engineers narrowed the channel and made the river dig its own bottom deeper so that now huge ocean liners can dock.

Rubber obtained from trees which grow wild in Brazil is superior in quality to that obtained from the same sort of trees under cultivation.

It has been discovered that the kind of dates grown within sight of the Great Fyramids of Egypt is well adapted to production in southern California on a commercial scale.

Thousands of years before the invention of cotton machinery in Europe, Hindus had cotton gins, spinning wheels, and looms.